Navitor™ Transcatheter Aortic Valve Implantation System

A PATIENT'S GUIDE TO TREATING AORTIC STENOSIS





At Abbott, we focus every single day on restoring health and improving the quality of life for people around the world.

We are delighted that you have taken the first steps toward treating your severe aortic stenosis with transcatheter aortic valve implantation – often referred to as "TAVI" (rhymes with "savvy.")

This booklet contains great education about aortic stenosis and TAVI, a common treatment option. Of course, if you or your family have any questions, please reach out to your care team.

We wish you all the best and good health!



Dr. Lars Søndergaard Chief Medical Officer, Abbott Structural Heart

I'VE BEEN DIAGNOSED WITH AORTIC STENOSIS WHAT IS IT?

Stenosis is defined as "abnormal narrowing of a passage in the body." So, aortic stenosis refers to a condition where the valves in the heart become narrower, causing the heart muscle to work harder to pump blood to the brain and the rest of the body.

Did you know?

Aortic Stenosis is one of the most common and serious heart valve diseases. It affects millions of older adults, and that number is increasing.¹

COMMON SYMPTOMS OF AORTIC STENOSIS

Many symptoms of aortic stenosis are often misunderstood by patients as being "normal" signs of aging. The list below shows symptoms of aortic stenosis, but there may be others. Tell your doctor of any new or worsening symptoms you're experiencing.



Fatigue with normal activities



Difficulty walking short distances



Chest pain



Rapid, fluttering heartbeat



Trouble breathing



Difficulty sleeping



Dizziness, lightheadedness, or even fainting



Swollen ankles or feet

HOW CAN AORTIC STENOSIS BE TREATED?

Based on your level of risk, the outcomes from your diagnostic tests, and your lifestyle preferences, it is important that you discuss all available treatment options with your doctor, to determine which treatment is right for you.

There are several treatment options for severe aortic stenosis including medication, procedures that stretch the valve wider, surgical aortic valve replacement, or transcatheter aortic valve implantation (commonly called "TAVI").

TRANSCATHETER AORTIC VALVE IMPLANTATION (TAVI)

As shown below, the Navitor™ Valve is a metallic frame device with integrated leaflets made of bovine (cow) pericardial tissue designed to function like a native aortic valve.

The valve is implanted in a minimally-invasive transcatheter based procedure called TAVI, which is often recommended by doctors for patients with severe aortic stenosis who are not candidates for invasive open-heart surgery due to age, frailty or other conditions that make surgery too risky.



25 millimeter Navitor™ Valve
Available valve sizes: 23, 25, 27, 29, 35 mm



24 millimeter US quarter



TO LEARN MORE ABOUT AORTIC STENOSIS, VISIT THE CARDIOSMART WEBSITE AT:

www.cardiosmart.org/topics/aortic-stenosis




For U.S. audience, see Important Safety Information referenced within. For audiences outside of the U.S., always check the regulatory status of the device in your region.

WHAT HAPPENS DURING A TAVI PROCEDURE?

The procedure to implant the device inside the heart will take place in a special cardiac suite with your heart team to perform the procedure and care for you. Below is a simplified overview of the steps.




A catheter is used to guide the device into position.






Your physician will determine the best approach for placing your valve, but using the femoral artery in your leg is the most common. A small incision is made, and the physician uses special imaging equipment to carefully guide the catheter to the precise location.





The Navitor Valve is delivered with a catheter through the sheath and placed within your opened aortic valve. Your doctor will deploy the valve using special visualization equipment to ensure the valve is positioned accurately within your heart.





Once the device has been positioned correctly, it starts to function immediately. The physician then removes the delivery system catheter and the small incision is closed. The procedure is complete.

WHAT RISKS ARE ASSOCIATED WITH THE TAVI PROCEDURE?

There are risks with any heart valve implantation procedure. Serious risks include, but are not limited to:

- Death
- Stroke
- Serious damage to the arteries
- Serious bleeding
- Access site complications (e.g., pain, bleeding, infection, blood vessel damage)
- Heart attack blockage of blood flow to the heart muscle
- Allergic reaction to medication or products/devices used during the procedure (medication to prevent blood clotting, x-ray die, components of the valve delivery process)
- Tear or burst of the aorta
- Disruption or injury of electrical system in your heart leading to the need for a permanent pacemaker implant
- Tear or separation of the layers of the wall of an artery
- Emergency surgery



CONTACT YOUR DOCTOR OR EMERGENCY SERVICES IF YOU EXPERIENCE ANY OF THE FOLLOWING:

- Redness or drainage from incision
- Shortness of breath
- Swelling of feet or ankles
- Bruising
- Excessive bleeding
- Blood in your urine
- Bloody or tarry bowel movements

- Unusual nosebleeds
- Fever
- Numbness or tingling in your arms or legs
- General weakness or loss of energy
- Blurred or loss of vision
- Unusual chest sensation

HOW DO I PREPARE FOR MY TAVI PROCEDURE?

If your doctor has recommended the TAVI procedure for you, below are some ways they may ask you to prepare.

| □ Complete all the lab work requested by your doctor. |
|---|
| □ Request oral health clearance from your dentist. |
| ☐ Prepare your legal documents and ensure your caregiver knows where they are located. |
| ☐ Make arrangements for a ride home from the hospital upon discharge, and for some help at home. Your care team can advise on what you may need help with and for how long. |
| ☐ Take your prescribed medications as directed by your doctors in the days before your procedure. |
| ☐ Tell your doctor of all medications you are taking. |
| ☐ Tell your doctor of any allergies you have. |
| □ Follow all directions from your doctor or nurse. |

WHAT WILL HAPPEN THE DAY OF MY PROCEDURE?

Here's what your day is likely to look like:



CHECK-IN

Most people check-in for their procedure the morning it is scheduled. Your care team may ask that you check-in the evening before.



PRE-OP PREP

You'll set aside your belongings for safe-keeping in a room or locker. The care team will get you ready for your procedure, including getting you in a gown and socks for your comfort. Your caregiver will be directed to a waiting room.



AFTER THE PROCEDURE

While you're resting in a recovery room, the care team will let your caregiver(s) know how the procedure went and how you're doing. Depending on the hospital policy, they can visit you either in recovery or in your inpatient room.

Your belongings will be returned to you. The length of stay varies and is determined by your doctor.

WHAT WILL HAPPEN DURING MY RECOVERY PERIOD?



AT THE HOSPITAL

Your care team will work with you on discharge planning. They will evaluate your medications and make any recommended changes. They may perform follow-up checks to evaluate your recovery.



THE FIRST DAY AT HOME

The first 24 hours after surgery it is important to tend to your incision site and keep it dry. You can carefully take a shower but avoid soaking the area. Avoid lotions and perfumes.



THE FIRST FEW WEEKS

Take it easy. Don't do strenuous exercise, and don't do any heavy lifting (nothing heavier than a gallon of milk). Limit driving. Walk only short distances on level ground. You should be back to regular activity at 1-2 weeks.



YOUR 30-DAY CHECK-UP

Your doctor will want to see how you're doing 30 days after the procedure. The care team will get new images to see how your new heart valve is working, and they may do additional lab work and testing.



FOCUS ON YOUR HEALTH

As you continue to recover from your procedure, it is important that you lead a healthy lifestyle with diet, exercise and maintaining a healthy mindset.



YOUR ONE-YEAR EXAM

Similar to your 30-day check-up, you will be asked to return for more images to assess how your heart valve is working.



FOR MORE RESOURCES, AND SUPPORT, VISIT THE MENDED HEARTS PROGRAM WEBSITE:

https://mendedhearts.org/about-us/

DEVELOPING A HEART HEALTHY LIFESTYLE

A balanced approach to your diet, activity level and mental health can have a large positive impact on your overall physical health.



PLAN YOUR GROCERY TRIPS WITH HEALTH IN MIND. A FEW TIPS ON HEALTHY EATING FROM THE AMERICAN HEART ASSOCIATION (AHA).

SCAN THE CODE ON PAGE 11 FOR MORE.

- Plan your meals and make a list to take to the grocery store to help you stay on track.
- Maximize fresh fruits and vegetables, whole grains and healthy proteins.
- Minimize processed food, added sugars and salts and alcohol.



GET MOVING

Your doctor will tell you when you can return to normal activity and are cleared to begin exercise.

- Start slowly with something like sit-to-stand exercises a few times per day.
- Then start walking five minutes each day. Over time, slowly increase your distance and speed. Take someone with you the first few times.



DEVELOP A HEALTHY MINDSET

It's normal to experience stress and anxiety following a health event, let your care team know if you are as they may have helpful recommendations. Additionally, below are a few actions you can take to support your mental health.

- Develop some health-related goals as you recover. Be sure to celebrate your achievements along the way.
- Connect with others who are navigating heart conditions. Your hospital may have local recommendations, or you could join national organizations like Mended Hearts[‡] that are building a community of support for patients like you.

GUIDE FOR CAREGIVERS

Caregivers play an important role in supporting the recovery of the patient. Here are some useful tips.

- Accompany the patient to their doctor visits. Write down questions you have for the care team and take notes about the answers.
- Ensure the patient has prepared their legal documents, and that you know where they are.
- 3 Help the patient pack for their hospital stay.
- Have a discharge plan. The patient may need additional support after they get home (e.g., taking medications, getting to doctor visits, etc.)
- Watch over the patient's incision site and physical activity to ensure they're following the care team's instructions.
- 6 Help the patient develop and maintain healthy eating habits.



FOR MORE RESOURCES, VISIT THE AHA'S HEALTHY EATING WEBSITE:

www.heart.org/en/healthy-living/healthy-eating

CAREGIVER QUESTIONS FOR THE HEART TEAM

Below are questions you may want to discuss with the heart team prior to the patient's Transcatheter Aortic Valve Implantation (TAVI) procedure.

| 1. | How long will the patient be in the hospital? | |
|-----|--|--|
| 2. | Will I need to stay with them overnight in the hospital (or am I able to if I would like)? | |
| 3. | What legal documents should the patient have prepared? | |
| 4. | What symptoms will they have after the procedure, and for how long? | |
| 5. | What kind of support will need to be provided? | |
| 6. | Will physical therapy or rehab be required? | |
| 7. | Will there be any medication changes? | |
| 8. | How long does it typically take for a patient to fully recover? | |
| 9. | What else can I do to support recovery? | |
| Oti | her Notes: | |

NOTES

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |

NOTES

For U.S. audience, see Important Safety Information referenced within.

14 For audiences outside of the U.S., always check the regulatory status of the device in your region.

For U.S. audience only

Rx Only Important Safety Information

NAVITOR™ TRANSCATHETER AORTIC VALVE IMPLANTATION SYSTEM

INDICATIONS

The Navitor™ Transcatheter Aortic Valve Implantation System is indicated for relief of aortic stenosis in patients with symptomatic heart disease due to severe native calcific aortic stenosis who are judged by a heart team, including a cardiac surgeon, to be high or greater risk for open surgical therapy (i.e., predicted risk of surgical mortality ≥8% at 30 days, based on the Society of Thoracic Surgeons (STS) risk score and other clinical comorbidities unmeasured by the STS risk calculator).

CONTRAINDICATIONS

The valve is contraindicated for patients with inability to tolerate antiplatelet/anticoagulant therapy or nitinol alloy (nickel and titanium), or who have active infections, including endocarditis.

POTENTIAL ADVERSE EVENTS

Adverse events potentially associated with the use of transcatheter bioprosthetic heart valves include but are not limited to: access site complications (e.g., pain, bleeding, infection, hematoma, pseudoaneurysm, etc.); acute coronary obstruction; acute myocardial infarction; allergic reaction to antiplatelet agents, contrast medium, or valve components; aortic rupture; ascending aorta trauma; atrio-ventricular node block; cardiac arrhythmias; conduction system injury; conversion to open surgical procedure; death; dissection; embolism; emergent balloon valvuloplasty; emergent percutaneous coronary intervention (PCI); emergent surgery (i.e., coronary artery bypass, heart valve replacement); endocarditis; explantation; heart failure; hemodynamic compromise; hemolysis; hemolytic anemia; hemorrhage; hypotension or hypertension; infection; myocardial ischemia; mitral valve insufficiency; multi-organ failure; non-structural dysfunction (i.e., entrapment by pannus, paravalvular leak, inappropriate sizing or positioning); pannus; pericardial effusion; perforation of the myocardium, ventricle, or a blood vessel; permanent disability; permanent pacemaker; regurgitation; renal insufficiency or renal failure; reoperation; respiratory failure; sepsis; stroke; structural deterioration (i.e., calcification, leaflet tear); thrombosis; tamponade; transfusion; valve embolization or migration; vessel dissection or spasm.

References

What is Aortic Stenosis? Aortic Stenosis Resources, American Heart Association. Accessed 04-15-2024. https://www.heart.org/en/health-topics/heart-valve-problems-and-disease/heart-valve-disease-resources/aortic-stenosis-resources.

CAUTION: Product(s) intended for use by or under the direction of a physician. Prior to use, reference the Instructions for Use inside the product carton (when available) or at www.eifu.abbott for more detailed information on Indications, Contraindications, Warnings, Precautions and Adverse Events.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photo(s) on file at Abbott.

Abbott
3200 Lakeside Dr., Santa Clara, CA 95054 USA

Thi Indicates a trademark of the Abbott group of companies.

‡ Indicates a third-party trademark, which is property of its respective owner.

www.structuralheart.abbott

